



[Show Details](#)

CCR Project Status Mtg (919/541-1592)

Thu 01/24/2013 9:00 AM - 10:30

AM

Attendance is **required** for Greg Helms

Chair: **Susan Thorneloe/RTP/USEPA/US**

No Location Information

Required:

a.garrabrants@Vanderbilt.Edu, benware.richard@epa.gov, David.Kosson@Vanderbilt.Edu, Greg Helms/DC/USEPA/US@EPA, hans@vanderslootconsultancy.nl, Jim Voit/CI/USEPA/US@EPA, Kariher.Peter@epa.gov, livnat.alexander@epa.gov, Mark Baldwin/DC/USEPA/US@EPA, Mills.Jason@epamail.epa.gov, Peter Kariher/RTP/USEPA/US@EPA, Richard Benware/DC/USEPA/US@EPA, rossane.c.delapp@Vanderbilt.Edu, sohini.sarkar@Vanderbilt.Edu, Souhail Al-Abed/CI/USEPA/US@EPA, Thabet Tolaymat/CI/USEPA/US@EPA, Timothy Taylor/DC/USEPA/US

Optional:

Albert Venosa/CI/USEPA/US@EPA, David Carson/CI/USEPA/US@EPA, Frank Princiotta/RTP/USEPA/US@EPA, Randy Parker/CI/USEPA/US@EPA, Richard Shores/RTP/USEPA/US@EPA

Resources:

Conference Bridge - 541-1592/Phone Line/RTP-Conf Bridge@EPA

Description

To discuss updates on:

1. Website notice for release of LEAF methods 1314 and 1315?
2. Changes to User interface on LeachXS-Lite and embedded tutorials (Work considered by OSWER as a priority for 2013)
3. Report on use of LEAF outputs for developing source terms (Work considered by OSWER as a priority for 2013)
4. Status of field vs lab leachate data report : Have received all comments; working to revise by end of Jan for submittal into administrative review.
5. DAF update & memo for Alex re COPCs to monitor using HBNs and DAF values --- Hoping to get this from Richard (very soon).
6. Review of outline for guidance document for implementation of LEAF in policy decisions (OSWER is funding this and is the technical lead; we are providing support)
7. Other topics or upcoming mtgs?

Completed!!! - the two LEAF Validation Rpts & The Use of fly ash in cementitious materials!

Rpt for validation of 1313 & 1316 is posted!

Rpt for validation of 1314 & 1315 - is posted!

Rpt on fly ash use in cementitious material is posted!

Region 2 report on Agremax is cleared Administrative review and is publication queue.



[Show Details](#)

CCR Project Status Mtg (call in #- 919/541-1592)

Thu 01/31/2013 8:30 AM - 10:00

AM

Attendance is **required** for Greg Helms

Chair: **Susan Thorneloe/RTP/USEPA/US**

No Location Information

Required:

a.garrabrants@Vanderbilt.Edu, benware.richard@epa.gov, David.Kosson@Vanderbilt.Edu, Greg Helms/DC/USEPA/US@EPA, hans@vanderslootconsultancy.nl, Jim Voit/CI/USEPA/US@EPA, Kariher.Peter@epa.gov, livnat.alexander@epa.gov, Mark Baldwin/DC/USEPA/US@EPA, Mills.Jason@epamail.epa.gov, Peter Kariher/RTP/USEPA/US@EPA, Richard Benware/DC/USEPA/US@EPA, rossane.c.delapp@Vanderbilt.Edu, sohini.sarkar@Vanderbilt.Edu, Souhail Al-Abed/CI/USEPA/US@EPA, Thabet Tolaymat/CI/USEPA/US@EPA, Timothy Taylor/DC/USEPA/US

Optional:

Albert Venosa/CI/USEPA/US@EPA, David Carson/CI/USEPA/US@EPA, Frank Princiotta/RTP/USEPA/US@EPA, Randy Parker/CI/USEPA/US@EPA, Richard Shores/RTP/USEPA/US@EPA

Resources:

RTP-Line-541-1592/Phone Line/RTP-Conf Bridge@EPA

Description

To discuss updates on:

1. Website notice for release of LEAF methods 1314 and 1315?
2. Changes to User interface on LeachXS-Lite and embedded tutorials (Work considered by OSWER as a priority for 2013)
3. Report on use of LEAF outputs for developing source terms (Work considered by OSWER as a priority for 2013)
4. Status of field vs lab leachate data report : Have received all comments; working to revise for submittal into administrative review.
5. DAF update & memo for Alex re COPCs to monitor using HBNs and DAF values --- Hoping to get this from Richard.
6. Review of outline for guidance document for implementation of LEAF in policy decisions (OSWER is funding this and is the technical lead; we are providing support)
7. Other topics or upcoming mtgs?
8. Review of ES&T papers on EPRI study on use of fly ash in cementitious materials

Completed!!! - the two LEAF Validation Rpts & The Use of fly ash in cementitious materials!

Rpt for validation of 1313 & 1316 is posted!

Rpt for validation of 1314 & 1315 - is posted!

Rpt on fly ash use in cementitious material is posted!

Region 2 report on Agremax is cleared Administrative review and is publication queue. -

Personal Notes
